

Index

Reactor and Fuel-Processing Technology

Volume 11

Note: The page range for each of the four issues of Vol. 11 is as follows:

No. 1, pages 1 to 68 No. 3, pages 117 to 166
No. 2, pages 69 to 116 No. 4, pages 167 to 231

A

Accidents
analysis of nuclear in fast reactors, 1-3
electrical cable fire in Peach Bottom
Reactor during construction, 6
superheating of liquid-metal coolants in
fast reactors, 84-88

Actinide oxides
electrolytic deposition from molten
alkali-metal chlorides, 99-100

Allied Chemical Corporation
plans for new fuel-processing plant, 205

Aluminum
fast-neutron-induced bowing of ORR
components, 18-20

Aluminum (SAP)
dissolution, 49

Aluminum alloys (Al-Cd)
fast-neutron-induced bowing of safety
shim rods in ORR, 18-20

Aluminum alloys (Al-U)
dissolution by HNO_3 , effect of Si on, 201

Aluminum alloys (Al-U)(Al clad)
fluoride-volatility processing of, 103-4

Aluminum fluoride (AlF_3)
enthalpy of formation, 106

Americium
distribution between liquid Pu and NaCl-KCl
containing PuCl_3 , 224
preparation from AmO_2 , 158
recovery from Pu by electrorefining, 224
recovery from Shippingport Reactor fuel,
202-3
solvent extraction, 51

Aquafluor process
processing of stainless-steel-clad
 UO_2 fuels, 54-56
processing of zirconium-clad UO_2 , 54-56

Aqueous processing
Am recovery from Shippingport Reactor
fuel, 202-3
of BeO -based fuels, 144-45
corrosion in processing Zr-type fuels
with HF , 202

**Cm recovery from Shippingport Reactor
fuel, 202-3**

**decladding and dissolution of Shippingport
blanket elements, 93-94**

**decladding of SAP-clad UC and UO_2
fuels, 49**

**design of delayed-neutron monitor for
 ^{235}U in leached hulls, 205-8**

design of modular pilot plant, 146-47

**design and operation of stacked-clone
liquid-liquid contactors, 51-53**

dissolution of PuO_2 , 91

**dissolution of pyrolytic carbon-coated
(Th, U) C_2 and (Th, U) O_2 particles, 92-93**

dissolution of ThO_2 , 91-92

**dissolution of U-Al alloys, effect of Si on,
201**

**dissolution of UO_2 pellets containing Mo,
92**

**dissolution of Zircaloy-clad $\text{ZrO}_2\text{-UO}_2$
fuel, 93**

of EBR-II fuel elements, 201-2

Np recovery from Purex wastes, 203

**performance of centrifugal mixer-settler,
205**

Pu recovery from Purex wastes, 203

**process flowsheet for WAK fuel pro-
cessing plant, 94-95**

**solvent extraction of actinide elements,
50-51**

**solvent extraction of ground graphite-
base fuels, 94**

**of stainless-steel-clad $\text{UO}_2\text{-PuO}_2$ fuels,
50**

symposium on, 146

Arsenic fluoride (AsF_3)
structure, 105-6

Asphalt
waste incorporation in, 67-68, 109

Attila cell
design and operation, 103-4

B

Beryllium
electrorefining, 224

Beryllium alloys (Be-Cd)
fast-neutron-induced bowing of safety
shim rods in ORR, 20

**Beryllium fluoride systems ($\text{BeF}_2\text{-LiF-}$
 ThF_4)**
pyrochemical processing, 61-63, 99,
156-57, 221-24

Bibliographies
on fission-product recovery from
wastes, 231
on nonaqueous processing of spent fuels,
216

Burnup
prediction in thermal-reactor fuels,
69-71

C

Cadmium alloys (Al-Cd)
fast-neutron-induced bowing of safety
shim rods in ORR, 18-20

Cadmium alloys (Be-Cd)
fast-neutron-induced bowing of safety
shim rods in ORR, 20

Californium-252
production estimate, 50

Cesium
removal from liquid wastes by solvent
extraction, 111-12, 230

Chalk River Nuclear Laboratories
waste management, 164

Chlorine fluoride (ClF_3)
preparation, 105

Conferences and meetings
Disposal of Radioactive Wastes into the
Ground, Vienna, 1967, 230
International Conference on Fast Reactor
Safety, Aix-en-Provence, France,
Sept. 19-21, 1967, 1-3
Nuclear Power Fuel Reprocessing:
Technology and Economics, Augusta,
Georgia, May 11-12, 1967, 152-53
Recent Advances in Reprocessing of
Irradiated Fuels, New York, Nov. 30,
1967, 146

Containment buildings
electrical penetration systems, 5-12

Control rods
fast-neutron-induced bowing in ORR,
18-20

Critical experiments
analytical and experimental results of
high conversion, 117-20
review of Dimple, 121-22

Curium
recovery from Shippingport Reactor
fuel, 202-3
solvent extraction by tributyl phosphine
oxide, 51

D

Duranickel 301
corrosion by Br_2 , 152

E

Eurochem Plant
operating experience, 204-5

- F**
- Filters
 - operation experience in fluid-bed reactors, 214
 - Fission products
 - recovery from wastes by solvent extraction, 111-12, 230
 - removal from PuF₃ and UF₆, 56-59
 - Fluoride-volatility process, 56-59, 101-6, 149-51, 209-16
 - Fluorine
 - production costs, properties, storage, and disposal, 152
 - Fuel blankets (UO₂)(Zircaloy clad)
 - aqueous processing, 93-94
 - Fuel elements
 - mechanical analysis of irradiated, problems in, 13-15
 - Fuels
 - burnup predictions in thermal reactors, 69-71
 - Fuels (Al-U)
 - aqueous processing, 201
 - Fuels (Al-U)(Al clad)
 - fluoride-volatility processing, 103-4
 - Fuels (BeO-base)
 - aqueous processing, 144-45
 - Fuels (graphite-base)
 - aqueous processing, 94
 - Fuels (LiF-BeF₂-UF₄)
 - pyrochemical processing, 61-63, 99, 156-57, 221-24
 - Fuels (PuO₂)
 - aqueous processing, 91
 - Fuels (PuO₂-UO₂)
 - fluorination with fluorine, 210-11
 - Fuels (PuO₂-UO₂)(stainless-steel clad)
 - aqueous processing, 50
 - salt-transport processing, 60-61, 96-99, 154-56, 219-21
 - Fuels (Pu-U)(Mg-Zr clad)
 - decladding by melting, 100
 - Fuels (ThO₂)
 - aqueous processing, 91-92
 - Fuels [(Th,U)C] (PyC coated)
 - aqueous processing, 92-93
 - Fuels [(Th,U)O₂] (PyC coated)
 - aqueous processing, 92-93
 - Fuels (U-fission)
 - aqueous processing, 201-2
 - Fuels (U-Zr)(Zircaloy clad)
 - aqueous processing, 201-2
 - fluoride-volatility processing, 103-4, 209-10
 - Fuels (UC)
 - oxidation and hydrofluorination of, 213
 - Fuels (UC)(SAP clad)
 - decladding by aqueous process, 49
 - Fuels (UO₂)
 - purification, 158
 - Fuels (UO₂)(SAP clad)
 - decladding by aqueous process, 49
 - Fuels (UO₂)(stainless-steel clad)
 - aquafluor processing, 54-56
 - fluoride-volatility processing, 101-3
 - Fuels (UO₂)(304 stainless-steel clad)
 - critical experiments with 3 and 5 percent enriched, 117-20
 - Fuels (UO₂)(6061T-6 Al clad)
 - critical experiments with 5 percent enriched, 117-20
 - Fuels (UO₂)(Zircaloy clad)
 - fluoride-volatility processing, 101-3
 - Fuels (UO₂-Mo pellets)
 - aqueous processing, 92
 - Fuels (UO₂-ZrO₂)(Zircaloy clad)
 - aqueous processing, 93
- Fused-salt process**
bibliography on, 216
- H**
- Halogens
 - physical and chemical properties of, 216
 - Heat exchangers
 - vibrations in HFBR, flow induced, 20-21
 - Huyck Felt metal
 - corrosion by Br₂, 152
- I**
- Lanthanum
 - solvent extraction, 51
 - Liquid metals
 - impurity monitoring by plugging meters, 138-43
 - valve development for, 127-37
 - Lithium chloride systems (LiCl-KCl)
 - separation by zone melting and column crystallization, 63
 - Lithium fluoride systems (BeF₂-LiF-ThF₄)
 - pyrochemical processing, 61-63, 99, 156-57, 221-24
- M**
- Magnesium alloys (Mg-Zr)
 - removal from Pu-U fuel elements by melting, 100
 - Meters (plugging)
 - use in monitoring impurity levels in liquid sodium, 134-43
 - Molybdenum alloys
 - preparation by pyrochemical process, 225
 - Molybdenum fluorides
 - physical and thermodynamic properties, 152
 - syntheses, 152
 - Molybdenum oxyfluorides
 - physical and thermodynamic properties, 152
 - syntheses, 152
 - Molybdenum systems (Mo-UO₂)
 - aqueous processing, 92
 - Monel
 - corrosion by Br₂, 152
 - Monel-400
 - corrosion by HF, 202
- N**
- Neptunium
 - production from NpO₂, 224
 - recovery from Purex wastes, 203
 - Neptunium fluorides (NpF₃)
 - density, 152
 - long-wavelength, infrared-active fundamentals for, 152
 - removal from PuF₃ and UF₆ gas streams, 212-13
 - Neutron generators
 - design of pulsed, 72-74
 - Nickel 201
 - corrosion by Br₂, 152
 - Nitrofluor process
 - bibliography on, 216
 - processing of Zircaloy-clad UO₂ fuels, 54
 - Nonaqueous processing
 - Aquafluor process, 54-56
 - behavior of Np, 212-13
- corrosion of construction materials**
by Br₂, 152
decomposition of PuF₃, 151
electrolytic processes, 99-100
filter studies, 214-15
fluoride-volatility processing of ceramic oxide fuels, 149-51, 209-12
fluorination of U compounds, 215-16
fluorine production costs, properties, 152
heat-generation problems, 215
Nitrofluor process, 54
oxidation and hydrofluorination of UC, 213
purification of PuF₃ and UF₆, 56-59, 151-52, 213-14
processes for molten-salt reactor fuels, 61-63, 99, 156-57, 221-24
properties of fluorides, 152
reaction of UF₄ with water vapor and O₂, 216
salt-transport processing of fast breeder reactor fuels, 60-61, 96-99, 154-56, 219-21
status report, 153
storage and disposal, 152
- O**
- Oak Ridge National Laboratory
 - waste management, 164
- P**
- Plant and equipment
 - Allied Chemical Corporation announcement of new fuel-reprocessing plant construction, 205
 - Attila cell for processing MTR-type fuel elements, 103-4
 - characteristics of air-pulsed systems, 147-48
 - design of delayed-neutron monitor for ²³⁵U in leached hulls, 205-8
 - design of module for aqueous processing of irradiated fuels, 146-47
 - design and operation of stacked-clone liquid-liquid contactor, 51-53
 - design and operation of the WAK fuel-reprocessing plant, 94-95
 - Eurochem Plant, operating experience, 204-5
 - performance of centrifugal mixer-settler, 205
 - Plugging meters
 - use in monitoring impurity levels in liquid sodium, 138-43
 - Plutonium
 - conversion to PuO₂ by burning, 91
 - electrorefining, 158, 224
 - production from PuO₂ by electrolysis, 99
 - purification by selective reduction in liquid BrF₃, 106
 - recovery from Purex wastes, 203
 - recovery from scrap by fluoride-volatility process, 151-52
 - Plutonium alloys (Pu-U)(Mg-Zr clad)
 - decladding by melting, 100
 - Plutonium fluorides (PuF₃)
 - bibliography on, 216
 - long-wavelength, infrared-active fundamentals for, 152
 - preparation of, 216
 - properties of, 216
 - purification of, 57-59, 213-14
 - radiation decomposition, 151

- separation from UF₆, 214, 225
thermal decomposition, 151
- Plutonium oxide (PuO₂)
conversion to Pu metal by electrolysis, 99
dissolution in aqueous processing, 91
preparation of, 216
properties of, 216
- Plutonium oxide systems (Pu,U)O₂
fluorination with ClF and ClF₃, 211-12
- Plutonium oxide systems (PuO₂-UO₂)
(stainless-steel clad)
processing in the NFS Purex facility, 50
salt-transport processing, 60-61, 96-99, 154-56, 219-21
- Polonium
volatilization from bismuth oxide, 158
- Potassium chloride systems (LiCl-KCl)
separation by zone melting and column crystallization, 63
- Potassium nitrate systems (KNO₃-NaNO₃)
separation by zone melting and column crystallization, 63
- Protactinium
physical chemistry of, 216-17
solvent extraction, 51
- Pumps
failure in Big Rock Point Reactor, 21-22
- Purex process
evaluation for stainless-steel-clad UO₂-PuO₂ fuels, 50
- Purex wastes
Np and Pu recovery from, 203
- Pyrochemical processing (compact), 60-63, 96-100, 154-58, 219-25
(see also Nonaqueous processing)
- R
- Radioactive materials
handling and shipping, 68
heat-generation problems in fuel processing, 215
- Reactor control
use of quasi-linear programming for, 123-26
- Reactor coolants
ejection mechanisms in LMFBR, use in analyzing safety of, 180-85
liquid-metal impurity monitoring by plugging meters, 138-43
superheating of liquid metals in fast reactors, 84-88
- Reactor dynamics
study, adiabatic method for, 174
study, direct method for, 176
study, modal method for, 174
study, nodal method for, 175
study, point-reactor kinetics method for, 173-74
- Reactor safety
analysis of LMFBR, use of coolant ejection mechanisms in, 180-85
electrical penetrations in containment buildings, 7-12
fast reactors, conference on, 1-3
fast reactors, superheating of liquid-metal coolant in, 84-88
- Reactor valves
design for use in LMFBR, 127-37
- Reactors (Big Rock Point)
circulation-pump seal failure, 21-22
waste management, 230
- Reactors (Brisels)
power-excursion experiments, 2
- Reactors (BR-5)
operating experience, 3
- Reactors (Cabri Swimming-Pool)
core-meltdown experiments, 2
- Reactors (Calder Hall)
intrinsic reactivity-noise sources in, 169-70
- Reactors (DFR)
intrinsic reactivity-noise sources in, 169-70
operating experience, 3
- Reactors (DMTR)
intrinsic reactivity-noise sources in, 169-70
- Reactors (Dresden 1)
waste management, 230
- Reactors (Dresden 2)
containment, electrical penetrations, 7-12
intrinsic reactivity-noise sources in, 169-70
- Reactors (EBR-II)
fuel processing by aqueous techniques, 201-2
fuel processing by pyrochemical techniques, 158
- Reactors (Elk River)
intrinsic reactivity-noise sources in, 169-70
waste management, 230
- Reactors (Enrico Fermi)
intrinsic reactivity-noise sources in, 169-70
- Reactors (fast)
design of compact with heat pipes and direct converters, 187-200
safety, conference on, 1-3
- Reactors (fast breeder)
coolant ejection mechanisms, use in analyzing safety of, 180-85
fuel processing by the salt-transport process, 60-61, 96-99, 154-56, 219-21
superheating of liquid-metal coolant, 84-88
- Reactors (Fermi)
containment, electrical penetrations, 5-6
operating experience, 3
- Reactors (Hanford Production)
hydriding of Zircaloy-2 process tubes, 17-18
- Reactors (HFBR)
flow-induced vibrations in heat-exchanger tubes, 20-21
intrinsic reactivity-noise sources in, 169-70
- Reactors (HFIR)
intrinsic reactivity-noise sources in, 169-70
transuranium-element production, 50
- Reactors (HRE-2)
intrinsic reactivity-noise sources in, 169-70
- Reactors (HTR)
intrinsic reactivity-noise sources in, 169-70
- Reactors (Humboldt Bay)
waste management, 230
- Reactors (Indian Point 1)
waste management, 230
- Reactors (JRR-1)
intrinsic reactivity-noise sources in, 169-70
- Reactors (JRR-2)
intrinsic reactivity-noise sources in, 169-70
- Reactors (LMFBR)
coolant ejection mechanism, use in analyzing safety of, 180-85
large valves for, 127-37
superheating of Na coolant, 84-88
- Reactors (molten-salt breeder)
corrosion tests, 224-25
fuel processing by pyrochemical techniques, 99, 156-57
- Reactors (ML-1)
intrinsic reactivity-noise sources in, 169-70
- Reactors (MSBR)
pyrochemical processing of fuels, 61-63
- Reactors (MTR)
fuel processing, 103-4
- Reactors (NRU)
replacement of Al vessel, plans for, 22-24
- Reactors (ORR)
Al-Cd shim safety rods, fast-neutron-induced bowing in, 18-20
Be-Cd shim safety rods, fast-neutron-induced bowing in, 20
bowing of Al lattice components from fast-neutron damage, 18-20
intrinsic reactivity-noise sources in, 169-70
- Reactors (Pathfinder)
intrinsic reactivity-noise sources in, 169-70
- Reactors (Peach Bottom)
containment, electrical penetrations, 6-7
- Reactors (power)
noise experiments, analysis and theory of, 167-71
- Reactors (Rapsodie)
operating experience, 3
- Reactors (Savannah)
intrinsic reactivity-noise sources in, 169-70
- Reactors (Saxton)
intrinsic reactivity-noise sources in, 169-70
- Reactors (Shippingport)
Am and Cm recovery from fuels of, 202-3
- Reactors (SNAP-2)
intrinsic reactivity-noise sources in, 169-70
- Reactors (sodium-cooled fast)
safety, conference on, 1-3
- Reactors (Texas A and M Univ. Swimming Pool)
replacement of Al liner with stainless steel 304, 24-25
- Reactors (thermal)
fuel-burnup predictions, panel proceedings on, 69-71
- Reactors (TREAT)
core-meltdown studies, 2
- Reactors (VBWR)
intrinsic reactivity-noise source in, 169-70
- Reactors (Yankee)
waste management, 230
- Reactors (Zero Power)
noise experiments, analysis and theory of, 167-71
- S
- Safety
(see Reactor safety)
- Salt mines
storage of calcined wastes in, 110-11, 159-63
- Salt-transport process, 60-61, 96-99, 154-56, 219-21
- Seals
failure in Big Rock Point Reactor circulation pump, 21-22
- Sodium (liquid)
behavior in reactor core accidents, 2

- compressibility and sonic velocity, recommended values, 42-43
 density, recommended values, 27-28
 electrical resistivity, recommended values, 39-40
 impurity monitoring by plugging meters, 138-43
 saturation vapor pressure, recommended values, 28
 superheating in fast reactors, 84-88
 surface tension, recommended values, 40
 thermal-expansion coefficient, 40-42
 thermodynamic and P-V-T properties, recommended values, 28-35, 44-45
 transport properties, recommended values, 32, 36-39
 valve development for, 127-37
 vaporization in reactor accidents, 2
Sodium nitrate systems (KNO₃-NaNO₃)
 separation by zone melting and column crystallization, 63
Solvent extraction
 of actinide elements, 50-51
 air-pulsed systems for, characteristics of, 147-48
 design and operation of centrifugal mixer-settler, 205
 design and operation of stacked-clone liquid-liquid contactors, 51-53
 deterioration of solvents under irradiation, 203-4
 fission-product recovery from wastes by, 111-12
Space program
 design of compact power generator featuring a fast reactor, heat pipes and direct converters, 187-200
Stainless steel (304)
 performance in NaK at high temperatures, 67
Stainless steel (304L)
 corrosion by HF, 202
Stainless steel (316)
 performance in NaK at high temperatures, 67
Stainless steel (348)
 performance in NaK at high temperatures, 67
Stainless steel (430)
 corrosion by Pb-Bi eutectic, 158
Strontium
 removal from liquid wastes by solvent extraction, 111-12
Symposia
 (see Conferences and meetings)
- T**
- Thermoelectric power generators**
 design of compact featuring a fast reactor, heat pipes and direct converters, 187-200
Thorium
 solvent extraction by tributyl phosphine oxide, 51
Thorium carbide systems [(Th,U)C₂] (PyC coated)
 dissolution in aqueous processing, 92-93
Thorium chloride (ThCl₄)
 production, 100
Thorium fluoride systems (BeF₂-LiF-ThF₄)
 pyrochemical processing, 61-63
Thorium oxide (ThO₂)
 dissolution in aqueous processing, 91-92
 reduction with Ca, 100, 224
Thorium oxide systems (Th,U)O₂
 aqueous processing in BeO matrix, 144-45
Thorium oxide systems [(Th,U)O₂] (PyC coated)
 dissolution in aqueous processing, 92-93
Transuranium elements
 production in the HFIR, recovery in the TRU, 50
Transuranium Facility (TRU)
 operation, 50
- U**
- Uranium-233**
 solvent extraction, 51
Uranium-235
 monitoring in leached hulls, design of instrument for, 205-8
Uranium alloys (Al-U)
 dissolution by HNO₃, effect of Si on, 201
Uranium alloys (Al-U)(Al clad)
 fluoride-volatility processing of, 103-4
Uranium alloys (Mo-U)
 preparation by pyrochemical process, 225
Uranium alloys (Pu-U)(Mg-Zr clad)
 decladding by melting, 100
Uranium alloys (U-Zr)(Zircaloy clad)
 fluoride-volatility processing, 103-4
 corrosion problems in processing with HF, 202
Uranium carbides (UC)
 oxidation and hydrofluorination, 213
Uranium carbides (UC)(SAP clad)
 decladding by chemical dissolution, 49
Uranium carbides (UC₂)
 conversion to UF₆, 105
Uranium chlorides (UCl₄)
 fission-product removal by zone melting, 63
Uranium fluoride systems (BeF₂-LiF-UF₆)
 pyrochemical processing, 61-63
Uranium fluorides (UF₄)
 conversion to UF₆, 105
 preparation and properties, 216
 reaction with water vapor and O₂, 216
Uranium fluorides (UF₆)
 bibliography on, 216
 conversion to UO₂, bibliography on, 152
 density of liquid, 152
 handling and container criteria, 104-5
 long-wavelength, infrared-active fundamentals for, 152
 preparation and properties, 216
 preparation from UC₂ and U₃O₈F₆, 105
 purification, 56-58, 213
 purity specifications for enrichment by gaseous diffusion, 57
 separation from PuF₆, 214, 225
 structure, 105
Uranium oxide systems (Mo-UO₂)
 aqueous processing, 92
Uranium oxide systems (Pu,U)O₂
 fluorination with ClF and ClF₃, 211-12
Uranium oxide systems (PuO₂-UO₂)
 fluorination with fluorine, 210-11
 salt-transport processing, 96-99
Uranium oxide systems (PuO₂-UO₂) (stainless-steel clad)
 processing in the NFS Purex facility, 50
 salt-transport processing, 60-61, 96-99, 154-56, 219-21
Uranium oxide systems ((Th,U)O₂)
 aqueous processing in BeO matrix, 144-45
- Uranium oxide systems [(Th,U)O₂] (PyC coated)**
 dissolution in aqueous processing, 92-93
Uranium oxide systems (UO₂-ZrO₂) (Zircaloy clad)
 dissolution in aqueous processing, 93
Uranium oxides (UO₂)
 preparation, 216
 preparation from UF₆, bibliography on, 152
 preparation of crystals, 225
 properties, 216
 purification, 158
 reaction with BrF₃, kinetics of, 215-16
 reaction with F, kinetics of, 216
 reaction with ClF, kinetics of, 216
Uranium oxides (UO₂)(304 stainless steel clad)
 critical experiments with 3 and 5 percent enriched, 117-20
Uranium oxides (UO₂)(6061T-6 Al clad)
 critical experiments with 5 percent enriched, 117-20
Uranium oxides (UO₂)(SAP clad)
 decladding by chemical dissolution, 49
Uranium oxides (UO₂)(stainless-steel clad)
 Aquafleur processing, 54-56
 fluoride-volatility processing, 101-3
Uranium oxides (UO₂)(Zircaloy clad)
 decladding and dissolution in aqueous processing, 93
 fluoride-volatility processing, 101-3, 209-10
 Nitrofluor processing, 54
Uranium oxides (UO₂)(Zr clad)
 Aquafleur processing, 54-56
Uranium oxides (UO₃)
 preparation and properties, 216
 reaction with BrF₃, kinetics of, 215-16
Uranium oxides (U₃O₈)
 preparation and properties of, 216
 reaction with BrF₃, kinetics of, 215-16
 reaction with ClF, 216
 reduction by Ca vapor, 224
Uranium oxyfluoride (UO₂F₂)
 conversion to UF₆, 105
Uranium oxyfluoride (U₃O₈F₆)
 conversion to UF₆, 105
- V**
- Valves**
 design for use in liquid-metal-cooled reactors, 127-37
Vibrations
 flow-induced in HFBR heat exchangers, 20-21
Volatility processes, 54-59, 101-6, 149-53, 209-17
 (see also Nonaqueous processing)
- W**
- Waste disposal**
 categorization of wastes, 114-15
 conversion of high-level-activity wastes to solids, 65-68, 159, 107-10, 159, 227-30, 231
 final disposal methods, 159-64
 fission-product recovery, bibliography on, 231
 fission-product recovery by solvent extraction, 111-12
 ground disposal, symposium on, 230
 methods at CRNL, 164
 methods at ORNL, 164
 methods at various power reactors, 230

recovery of Cs by solvent extraction,
111-12, 230
research and development, 107-15
storage of calcined wastes in salt mines,
110-11, 159-64
storage of liquid wastes in geologic
formations, 163-64
storage of liquid wastes in tanks, 112,
230

Yttrium

production by fused-salt electrorefining,
99

Y

Z

Zinc-65

extraction from pure Zn and Zn-Pb
alloys, 157-58

Zircaloy-2

hydriding of process tubes in Hanford
Production Reactors, 17-18
Zirconium alloys (Mg-Zr)
removal from Pu-U fuel elements by
melting, 100
Zirconium alloys (U-Zr)(Zircaloy clad)
fluoride-volatility processing, 103-4
Zirconium oxide systems (UO₂-ZrO₂)
(Zircaloy clad)
dissolution in aqueous processing, 93

LEGAL NOTICE

This journal was prepared under the sponsorship of the U. S. Atomic Energy Commission. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this journal, or that the use of any information, apparatus, method, or process disclosed in this journal may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this journal.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.